

**RESPONSE TO NON-FINAL OFFICE ACTION**

PAGE 3

Serial No. 10/635,819

Attorney Docket No. 200206815-1

Title: METHODS AND APPARATUS UTILIZING EMBEDDED DATA LAYERS

---

**IN THE CLAIMS****RECEIVED  
CENTRAL FAX CENTER****NOV 08 2007**

1. (Currently Amended) A computer system ~~An image database~~, comprising:  
an image database of one or more advertising images stored on a computer-readable medium, each image having a plurality of associated layers of metadata, wherein the computer system is adapted to embed each associated layer of metadata in a separate sub-watermark of a steganographic watermark of the advertising image.
2. (Currently Amended) The computer system ~~image database~~ of claim 1, wherein the database is adapted to associate the layers of metadata with each image dynamically.
3. (Currently Amended) The computer system ~~image database~~ of claim 2, wherein the database is adapted to dynamically associate the layers of metadata with one or more images in response to one of a user ID of the image requestor, a location input, a business relationship characteristic of the image requestor, a promotion type input, and a language input.
4. (Currently Amended) The computer system ~~image database~~ of claim 1, wherein the database is adapted to selectively update the images and/or associated layers of metadata in response to vendor input.
5. (Currently Amended) The computer system ~~image database~~ of claim 1, wherein the database is adapted to search the images and/or associated layers of metadata in response to one of a query input by a user, a user ID of the image requestor, a location, a business relationship, a promotion type, and a language input.
6. (Currently Amended) A method of operating a database of advertising images, comprising:  
selecting an advertising image; and

**RESPONSE TO NON-FINAL OFFICE ACTION****PAGE 4**

Serial No. 10/635,819

Attorney Docket No. 200206815-1

Title: METHODS AND APPARATUS UTILIZING EMBEDDED DATA LAYERS

---

selecting two or more layers of metadata associated with the selected image and  
embedding each associated layer of metadata in a separate sub-watermark of a  
steganographic watermark of the advertising image.

7. (Original) The method of claim 6, wherein selecting an advertising image further comprises selecting an advertising image in response to a query by one of an advertiser and a publisher.
8. (Original) The method of claim 6, wherein selecting two or more layers of metadata associated with the selected image further comprises selecting two or more pre-generated layers of metadata associated with the selected image.
9. (Original) The method of claim 6, wherein selecting two or more layers of metadata associated with the selected image further comprises selecting two or more dynamically generated layers of metadata.
10. (Original) The method of claim 9, selecting two or more dynamically generated layers of metadata further comprises selecting two or more dynamically generated layers of metadata utilizing one of a user ID of an image requestor, a location input, a business relationship characteristic of an image requestor, a promotion type, and a language type.
11. (Original) The method of claim 6, further comprising:  
updating the selected advertising image and two or more layers of metadata in the database utilizing input from a vendor.
12. (Currently Amended) A method of operating an advertising image repository, comprising:  
selecting an advertising image and two or more layers of metadata associated with the selected image from the advertising image repository; and  
embedding each associated layer of metadata in a separate sub-watermark of a  
steganographic watermark of the advertising image.

**RESPONSE TO NON-FINAL OFFICE ACTION****PAGE 5**

Serial No. 10/635,819

Attorney Docket No. 200206815-1

Title: METHODS AND APPARATUS UTILIZING EMBEDDED DATA LAYERS

---

13. (Original) The method of claim 12, wherein selecting an advertising image and two or more layers of metadata associated with the selected image from the advertising image repository further comprises selecting an advertising image and two or more layers of pre-generated metadata associated with the selected image from the advertising image repository.
14. (Original) The method of claim 12, wherein selecting an advertising image and two or more layers of metadata associated with the selected image from the advertising image repository further comprises selecting an advertising image and two or more layers of dynamically generated metadata associated with the selected image from the advertising image repository.
15. (Original) The method of claim 14, selecting two or more dynamically generated layers of metadata further comprises selecting two or more dynamically generated layers of metadata utilizing one of a user ID of an image requestor, a location input, a business relationship characteristic of an advertiser, a promotion type, and a selected language.
16. (Original) The method of claim 12, further comprising:  
updating the selected advertising image and two or more layers of metadata in the advertising image repository utilizing a changed image or metadata from a vendor.
17. (Currently Amended) A ~~computer-readable computer-usable~~ medium having computer-readable instructions stored thereon for execution by a processor to perform a method comprising:  
selecting an advertising image from a repository; and  
selecting two or more layers of metadata associated with the selected image from the repository and embedding each associated layer of metadata in a separate sub-watermark of a steganographic watermark of the advertising image.

**RESPONSE TO NON-FINAL OFFICE ACTION****PAGE 6**

Serial No. 10/635,819

Attorney Docket No. 200206815-1

Title: METHODS AND APPARATUS UTILIZING EMBEDDED DATA LAYERS

---

18. (Currently Amended) The computer-readable ~~computer-usable~~ of claim 17, wherein selecting an image from a repository further comprises selecting an advertising image from a database.
19. (Currently Amended) The computer-readable ~~computer-usable~~ of claim 17, wherein selecting two or more layers of metadata associated with the selected image from the repository further comprises selecting two or more pre-generated layers of metadata associated with the selected image.
20. (Currently Amended) The computer-readable ~~computer-usable~~ of claim 17, wherein selecting two or more layers of metadata associated with the selected image from the repository further comprises selecting two or more dynamically generated layers of metadata.

Claims 21-45 (Cancelled).